

# Waters Laboratory Supply Order Form

Please return your completed form to PathWest Supply by fax: (08) 9381 7092

If you do not have access to a fax, email the completed form to [waters.pathwest@health.wa.gov.au](mailto:waters.pathwest@health.wa.gov.au)

* Client company name	
* Contact name and phone	
* Address for supply delivery Note: we cannot deliver to PO Boxes	
* Preferred courier company	
* Client account no. with courier	
Supply date required by	
Special instructions (if required)	

## SAMPLING EQUIPMENT ORDER

	EQUIPMENT	QTY REQUIRED
Transport	Small Foam Coolers (for 250ml sample bottles)	
	Large Foam Coolers (for 500ml and 1L wide-neck jars)	
	Ice Bricks	
	Rolls of PathWest 'Urgent' Stickers – Blue Approximately 100 stickers per roll	
Waters Sampling	250ml Labelled Sample Bottles	
	500ml Wide-Mouth Sample Bottles	
	Red-Capped Non-Pyrogenic, Endotoxin-Free Tubes (only for endotoxin testing)	
	1L Wide-Mouthed Labelled Jars (for larger volume water sampling or ice sampling)	

## CHEMICAL TESTING

If chemical testing has been requested, please complete this section:

Number of samples being collected	
Tests or Table (AS5369) being requested	